Author Index

ADAMS R.A. *see* SMITH L.
ASHERSON G.L. *see* COLIZZI V.
ATASSI M.Z. *see* BIXLER G.S.
AUSTEN K.F. *see* SCHICK B.
AVRAMEAS S. *see* GUILBERT B.

BAGASRA O., KUSHNER H. & HASHEMI S. Lymphocyte function in experimental endemic syphilis of Syrian hamsters, 9
BANK H. *see* HASSIN D.
BERCHE P.A. Resistance to listeriosis in two lines of mice genetically selected for high and low antibody production, 707
BIJSTERBOSCH M.K. & KLAUS G.G.B. Cyclosporine does not inhibit mitogen-induced inositol phospholipid degradation in mouse lymphocytes, 435
BIJSTERBOSCH M.K. *see* KLAUS G.G.B.
BINNS R.M. *see* PABST R.
BIXLER G.S., YOSHIDA T. & ATASSI M.Z. Antigen presentation of lysozyme: T-cell recognition of peptide and intact protein after priming with synthetic overlapping peptides comprising the entire protein chain, 103
BLACKMAN M.J. & MORRIS A.G. The effect of interferon treatment of targets on susceptibility to cytotoxic T-lymphocyte killing: augmentation of allogeneic killing and virus-specific killing relative to viral antigen expression, 451
BOCCHIERI M.H. T-suppressor clones derived from murine AMLR, 93
VAN BODEGOM P. *see* VAN BOHEMEN C.G.
VAN BOHEMEN C.G., LIONARONS R.J., VAN BODEGOM P., DINANT H.J., LANDHEER J.E., NABBE A.J.J.M., GRUMET F.C. & ZANEN H.C. Susceptibility and HLA-B27 in post-dysenteric arthropathies, 377
BOULANGER M. *see* GORCZYNSKI R.M.
BOULTON R.A. *see* GOLDIN R.D.
BOYLSTON A.W. *see* GOLDIN R.D.
BRANDON M.R. *see* GOGOLIN-EWENS K.J.
BRANDON M.R. *see* PURI N.K.
BROSTOFF J. *see* HALL T.J.
BURSTON C. *see* SMITH L.
BUTTKE T.M. *see* POURBOHLOUL S.

CAMMARATA P. *see* PINCUS S.H.
CAMPBELL D. & VOSE B.M. T-cell control of IgA production. I. Distribution, activation conditions and culture of isotype-specific regulatory helper cells, 81
ČECHOVÁ D. *see* HOLÁŇ V.
ČERNÁ J. *see* HOLÁŇ V.
CHABY R. *see* GIRARD R.
CHÂTEAUREYNAUD-DUPRAT P. *see* LAULAN A.
CHEN-WOAN M., SAJEWSKI D.H. & MCGREGOR D.D. T-cell co-operation in the mediation of acquired resistance to *Listeria monocytogenes*, 33
CLAASSEN E. & VAN ROOIJEN N. Evidence that macrophages in the marginal zone have no role in the migration of lymphocytes into the periarteriolar lymphocyte sheaths (PALS), 689
CLAASSEN E. *see* JEURISSEN S.H.M.
COGNOT C. *see* REME T.
COHEN E.P. & HAGEN K. Leukaemia × fibroblast hybrid cells augment the antibody response to sheep red blood cells in inbred mice, 615
COLIZZI V., MALKOVSKY M., LANG G. & ASHERSON G.L. *In vivo* activity of interleukin-2: conversion of a stimulus causing unresponsiveness to a stimulus causing contact hypersensitivity by the injection of interleukin-2, 653
COLIZZI V. *see* LOMBARDI G.
COLLET B., MARTIN A., MERDRIGNAC G., GENETET B. & TOUJAS L. Modulation of expression of mouse macrophage surface antigens by monoclonal antibodies, 543
COOKE A. *see* HUTCHINGS P.
CORNWELL G.G. *see* NÁRAY-FEJES-TÓTH A.
CRIPPS A.W. *see* SHELDRAKE R.F.
CROFT S.L. *see* WOZENCRAFT A.O.
CURRY S. *see* MALE D.

DELAAGE M. *see* LAULAN A.
DENCKER L. *see* LARSSON P.
DINANT H.J. *see* VAN BOHEMEN C.G.
DONACHIE A.M. *see* WAKELIN D.
DUGGAN D. *see* MORGAN A.
DUNN A.M. *see* HALONEN M.
DUPUY D'ANGEAC A. *see* REME T.
DUVALL E., WYLLIE A.H. & MORRIS R.G. Macrophage recognition of cells undergoing programmed cell death (apoptosis), 351

EBERSOLE J.L., SMITH D.J. & TAUBMAN M.A. Secretory immune responses in ageing rats. I. Immunoglobulin levels, 345

FERGUSON A. *see* STRØBEL S.
FIXLER R. *see* HASSIN D.
FORNŮSEK L. *see* VĚTVIČKA V.
FORTUNATO A. *see* ISOBE K.
FUJII T., SEKIZAWA A. & KATAGIRI C. Characterization of the fourth component of complement in the serum of the clawed frog *Xenopus laevis*, 743
FUJITA T. *see* SHIOZAWA K.
FÜST G. *see* HIDVÉGI T.

GENETET B. *see* COLLET B.
GERGELY J. *see* HIDVÉGI T.
GIACOMINI E. *see* LUZZATI A.L.
GIGUERE V. *see* ISOBE K.
GILBERT M. *see* GUILBERT B.
GIRARD R. & CHABY R. Inhibition of lipopolysaccharide mitogenicity with characterized anti-lipid A monoclonal antibodies, 481
GOGOLIN-EWENS K.J., MACKAY C.R., MERCER W.R. & BRANDON M.R. Sheep lymphocyte antigens (OLA). I. Major histocompatibility complex Class I molecules, 717
GOLDIN R.D., BOULTON R.A. & BOYLSTON A.W. Quantitative relationship between T3 and the T-cell antigen receptor on a human leukaemic line, 295
GOLDMAN J. *see* WERBER M.M.
GOMBERT J. *see* HUREZ D.
GORCZYNSKI R.M. & BOULANGER M. A role for self-recognizing T cells in the regulation of antibody-forming and cell-mediated cytotoxic responses in the mouse, 467
GORDON J., GUY G. & WALKER L. Autocrine models of B-lymphocyte growth. I. Role of cell contact and soluble factors in T-independent B-cell responses, 329
GRENCIS R.K., RIEDLINGER J. & WAKELIN D. L3T4-positive T lymphoblasts are responsible for transfer of immunity to *Trichinella spiralis* in mice, 213
GRENCIS R.K. *see* WAKELIN D.
GROSVELD F. *see* ISOBE K.
GRUMET F.C. *see* VAN BOHEMEN C.G.
GUILBERT B., MAHANA W., GILBERT M., MAZIE J.-C. & AVRAMEAS S. Presence of natural autoantibodies in hyperimmunized mice, 401
GUY G. *see* GORDON J.
GUYRE P.M. *see* NÁRAY-FEJES-TÓTH A.

HAGEN K. *see* COHEN E.P.
HALL T.J., RYCROFT R. & BROSTOFF J. Decreased natural killer cell activity in atopic eczema, 337
HALONEN M., DUNN A.M. & LOHMAN I.C. Effect of specific IgG on IgE-induced systemic anaphylaxis in the rabbit, 65
HANDA H. *see* KEYAKI A.
HARADA N. *see* SANO Y.
HARTE P.G., ROGERS N.C. & TARGETT G.A.T. Role of T cells in preventing transmission of rodent malaria, 1
HASEGAWA T. *see* SETO A.
HAŠEK M. *see* HOLÁŇ V.
HASHEMI S. *see* BAGASRA O.
HASIN Y. *see* HASSIN D.
HASSIN D., FIXLER R., BANK H., KLEIN A.S. & HASIN Y. Cytotoxic T lymphocytes and natural killer cell activity in the course of mengo virus infection of mice, 701
HIDVÉGI T., FÜST G., RAJNAVÖLGYI É., KULICS J. & GERGELY J. Non-covalently bound C3 enhances lysis of rabbit erythrocytes through the alternative pathway, 735
HOGG N., PALMER D.G. & REVELL P.A. Mononuclear phagocytes of normal and rheumatoid synovial membrane identified by monoclonal antibodies, 673
HOLÁŇ V., LIPOLDOVÁ M., TAKÁČ M., ČERNÁ J., VANČATOVÁ A., ČECHOVÁ D., VESELSKÝ L. & HAŠEK M. Establishment and characterization of a permanent T-cell line producing an antigen non-specific suppressor factor, 275
HOLMAN M. *see* KLAUS G.G.B.
HOLMDAHL R. *see* LARSSON P.
HOLT P.G. *see* SEDGWICK J.D.
HSU A. *see* MACCARTHY E.P.
HUREZ D., YOUINOU P., GOMBERT J. & PREUD'HOMME J.L. Survey of monoclonal gammopathy in western France: incidence and unexpected high frequency of IgM, 557
HUSBAND A.J. *see* SHELDRAKE R.F.
HUTCHINGS P., MARSHALL-CLARKE S. & COOKE A. Suppression of induced erythrocyte autoantibodies is dependent on Lyt 1 cells, 269

ISENBERG D.A. *see* MORGAN A.
ISOBE K., FORTUNATO A., GIGUERE V., GROSVELD F. & MITCHISON N.A. Anti-Thy-1 antibody responses evoked by Thy-1 antigen expressed in transfected mouse mastocytoma cells and rat fibroblast, 505
ISSEKUTZ T.B. Characteristics of lymphoblasts appearing in efferent lymph in response to immunization with vaccinia virus, 23
ISTURIZ M.A. *see* SEREBRINSKY G.
ITO M., KARMALI R. & KRIM M. Effect of interferon on chemiluminescence and hydoxyl radical production in murine macrophages stimulated by PMA, 533

JACKSON L.E. *see* PEPPARD J.V.
JEURISSEN S.H.M., CLAASSEN E., VAN ROOIJEN N. & KRAAL G. Intra-intestinal priming leads to antigen-specific IgA memory cells in peripheral lymphoid organs, 417

KANNER B.I. *see* PERVIN R.
KARMALI R. *see* ITO M.
KATAGIRI C. *see* FUJII T.
KATO N. *see* OHTA M.
KAWADE Y. Neutralization of activity of effector protein by monoclonal antibody: formulation of antibody dose-dependence of neutralization for an equilibrium system of antibody, effector, and its cellular receptor, 497
KAWADE Y. & WATANABE Y. The nature of neutralization reaction between effector protein and monoclonal antibody: a quantitative study of neutralization characteristics of anti-interferon antibodies, 489
KAWASHIMA T. *see* YAMAZAKI S.
KEMP A., MELLOW L. & SABBADINI E. Suppression and enhancement of *in vitro* lymphocyte reactivity by factors in rat submandibular gland extracts, 261
KERR M.A. *see* SMITH M.A.
KEYAKI, A., KURIBAYASHI K., SAKAGUCHI S., MASUDA T., YAMASHITA J., HANDA H. & NAKAYAMA E. Effector mechanisms of syngeneic anti-tumour responses in mice. II. Cytotoxic T lymphocytes mediate neutralization and rejection of radiation-induced leukaemia RL♂1 in the nude mouse system, 141
KEYAKI A. *see* KURIBAYASHI K.
KHIROYA R. *see* MORGAN A.
KIDO N. *see* OHTA M.
KILDAHL-ANDERSEN O. & NISSEN-MEYER J. The role of monocyte cytotoxic factor (CF) in cytostasis mediated by IFN-γ-activated monocytes, 367
KIRKWOOD T.B.L. *see* SANDERSON C.J.
KISHIMOTO S. *see* NEGORO S.
KLARESKOG L. *see* LARSSON P.

KLAUS G.G.B., BIJSTERBOSCH M.K. & HOLMAN M. Activation and proliferation signals in mouse B cells. VII. Calcium ionophores are non-mitogenic polyclonal B-cell activators, 321
KLAUS G.G.B. *see* BIJSTERBOSCH M.K.
KLEIN A.S. *see* HASSIN D.
KLEIN S. *see* WERBER M.M.
KNIGHT K.L. *see* WATKINS J.R.
KRAAL G. *see* JEURISSEN S.H.M.
KRIM M. *see* ITO M.
KULICS J. *see* HIDVÉGI T.
KURIBAYASHI K., KEYAKI A., SAKAGUCHI S. & MASUDA T. Effector mechanisms of syngeneic anti-tumour responses in mice. I. Establishment and characterization of an exogenous IL-2-independent cytotoxic T-lymphocyte line specific for radiation-induced leukaemia RL♂1, 127
KURIBAYASHI K. *see* KEYAKI A.
KUSHNER H. *see* BAGASRA O.

LACHMANN P.J. *see* WARD R.H.R.
LAIRD L.M. *see* SECOMBES C.J.
LANDHEER J.E. *see* VAN BOHEMEN C.G.
LANG G. *see* COLIZZI V.
LARSSON P., HOLMDAHL R., DENCKER L. & KLARESKOG L. *In vivo* treatment with W3/13 (anti-pan T) but not with OX8 (anti-suppressor/cytotoxic T) monoclonal antibodies impedes the development of adjuvant arthritis in rats, 383
LAULAN A., MOREL A., LESTAGE J., DELAAGE M. & CHÂTEAUREYNAUD-DUPRAT P. Evidence of synthesis by *Lumbricus terrestris* of specific substances in response to an immunization with a synthetic hapten, 751
LEFKOVITS I. *see* LUZZATI A.L.
LELCHUK R. *see* MALE D.
LELCHUK R. & PLAYFAIR J.H.L. Serum IL-2 inhibitor in mice. I. Increase during infection, 113
LESTAGE J. *see* LAULAN A.
LEVINSKY R.J. *see* NDUMBE P.M.
LEWIS A.E. *see* SECOMBES C.J.
LICENCE S.T. *see* PABST R.
LIONARONS R.J. *see* VAN BOHEMEN C.G.
LIPOLDOVÁ M. *see* HOLÁŇ V.
LOHMAN I.C. *see* HALONEN M.
LOKEN M.R. *see* WATKINS J.R.
LOMBARDI G., PICCOLELLA E., VISMARA D., COLIZZI V. & ZEMBALA M. Monocyte subsets in the production of inhibitory factor by *Candida albicans*-activated human T cells, 373
LUZZATI A.L., GIACOMINI E. & LEFKOVITS I. Expression of antibody-forming cell clones in two-stage cultures: an attempt to separate proliferation and maturation events, 597

MACCARTHY E.P., HSU A., OOI Y.M. & OOI B.S. Modulation of mouse mesangial cell proliferation by macrophage products, 695
MACHII K. *see* YAMAZAKI S.
MACKAY C.R. *see* GOGOLIN-EWENS K.J.
MACKAY C.R. *see* PURI N.K.
MACKENZIE N.M. *see* PEPPARD J.V.
MAHANA W. *see* GUILBERT B.
MALE D., LELCHUCK R., CURRY S., PRYCE G. & PLAYFAIR J.H.L. Serum IL-2 inhibitor in mice. II. Molecular characteristics, 119
MALKOVSKY M. *see* COLIZZI V.
MALLETT G.S. *see* POURBOHLOUL S.
MARSHALL-CLARKE S. *see* HUTCHINGS P.
MARTIN A. *see* COLLET B.
MARX G. *see* PERVIN R.
MASUDA T. *see* KEYAKI A.
MASUDA T. *see* KURIBAYASHI K.
MAZIE J.-C. *see* GUILBERT B.
MCGREGOR D.D. *see* CHEN-WOAN M.
MCIVER D.J.L. *see* PATERSON N.A.M.
MELLOW L. & SABBADINI E. Effect of *Bacillus Calmette-Guérin* on the *in vitro* generation of cytotoxic T lymphocytes. II. Role of interleukin-1-like factors and of soluble suppressor factors, 235
MELLOW L. *see* KEMP A.
MERCER W.R. *see* GOGOLIN-EWENS K.J.
MERDRIGNAC G. *see* COLLET B.
MICKLEM H.S. *see* WITKOWSKI J.
MITCHISON N.A. *see* ISOBE K.
MOMOSE H. *see* YAMAZAKI S.
MOREL A. *see* LAULAN A.
MORGAN A., ISENBERG D.A., NAPARSTEK Y., RAUCH J., DUGGAN D., KHIROYA R., STAINES N.A. & SCHATTNER A. Shared idiotypes are expressed on mouse and human anti-DNA autoantibodies, 393
MORIGUCHI S., WERNER L. & WATSON R.R. High dietary vitamin A (retinyl palmitate) and cellular immune functions in mice, 169
MORRIS A.G. *see* BLACKMAN M.J.
MORRIS R.G. *see* DUVALL E.
MOWAT A.MCI. The role of antigen recognition and suppressor cells in mice with oral tolerance to ovalbumin, 253
MOWAT A.MCI. *see* STROBEL S.

NABBE A.J.J.M. *see* VAN BOHEMEN C.G.
NAKASHIMA I. *see* OHTA M.
NAKAYAMA E. *see* KEYAKI A.
NAPARSTEK Y. *see* MORGAN A.
NÁRAY-FEJES-TÓTH A., CORNWELL G.G. & GUYRE P.M. Glucocorticoids inhibit IgE receptor expression on the human monocyte cell line U937, 359
NDUMBE P.M. & LEVINSKY R.J. Differences in surface antigen expression of human fibroblasts cultured from bone marrow compared with those obtained from skin and embryo lung tissue, 189
NEEDHAM E.A. *see* SECOMBES C.J.
NEGORO S., TAKASHIMA T., TOBA H. & KISHIMOTO S. Induction of persistent autoimmune haemolytic anaemia in mice by combined use of rat erythrocyte preimmunization and chronic GVHR, 643
NEWTON R.C. The effect of interferon on the induction of human monocyte secretion of interleukin-1 activity, 441
NIEDERBUHL C.J. *see* PAVIA C.S.
NISSEN-MEYER J. *see* KILDAHL-ANDERSEN O.
O'GARRA A. *see* SANDERSON C.J.
OHTA M., KIDO N., NAKASHIMA I. & KATO N. Adjuvant actions of linear mannan-possessing lipopolysaccharide (LPS) in LPS-resistant C3H/HeJ mice, 571
OOI B.S. *see* MACCARTHY E.P.

Ooi Y.M. *see* MacCarthy E.P.
Otteskog P. *see* Wanger L.

Pabst R., Binns R.M. & Licence S.T. Surface markers on lymphocytes leaving pig lymph nodes, 301
Palmer D.G. *see* Hogg N.
Paterson N.A.M., McIver D.J.L. & Schurch S. Zymosan enhances leukotriene D_4 metabolism by porcine alveolar macrophages, 153
Patton C.L. *see* Ruben L.
Pavia C.S., Niederbuhl C.J. & Saunders J. Antibody-mediated protection of guinea-pigs against infection with *Treponema pallidum*, 195
Peppard J.V., Jackson L.E. & Mackenzie N.M. Comparison of *in vitro* binding to enterocyte brush borders of rat IgG subclasses and their transmission *in vivo* in the rat, 51
Pervin R., Kanner B.I., Marx G. & Razin E. Thrombin-induced degranulation of cultured bone marrow-derived mast cells: effect on calcium uptake, 667
Piccolella E. *see* Lombardi G.
Pincus S.H. & Cammarata P. Eosinophil adherence to infective larvae of *Trichinella spiralis*: quantification and modulation, 219
Playfair J.H.L. *see* Lelchuk R.
Playfair J.H.L. *see* Male D.
Pourbohloul S., Mallett G.S. & Buttke T.M. Inhibition of lymphocyte proliferation by free fatty acids. III. Modulation of thymus-dependent immune responses, 659
Preud'Homme J.L. *see* Hurez D.
Priede I.G. *see* Secombes C.J.
Pryce G. *see* Male D.
Puri N.K., Mackay C.R. & Brandon M.R. Sheep lymphocyte antigens (OLA). II. Major histocompatibility complex Class II molecules, 725

Radnay J. *see* Werber M.M.
Rajnavölgyi É. *see* Hidvégi T.
Rauch J. *see* Morgan A.
Razin E. *see* Pervin R.
Reme T., Cognot C. & Dupuy d'Angeac A. Resistance to metabolic inactivation is a functional phenotype of radioresistant stimulating spleen cells (RSCs) in allo-CTL generation, 459
Revell P.A. *see* Hogg N.
Riedlinger J. *see* Grencis R.K.
Rogers N.C. *see* Harte P.G.
van Rooijen N. *see* Claassen E.
van Rooijen N. *see* Jeurissen S.H.M.
Rozenszajn L.A. *see* Werber M.M.
Ruben L. & Patton C.L. Antibodies to calmodulin during experimental *Trypanosoma brucei rhodesiense* infections in rabbits, 227
Rycroft R. *see* Hall T.J.

Sabbadini E. *see* Kemp A.
Sabbadini E. *see* Mellow L.
Sajewski D.H. *see* Chen-Woan M.
Sakaguchi S. *see* Keyaki A.
Sakaguchi S. *see* Kuribayashi K.
Sanderson C.J., Strath M., Warren D.J., O'Garra A. & Kirkwood T.B.L. The production of lymphokines by primary alloreactive T-cell clones: a co-ordinate analysis of 233 clones in seven lymphokine assays, 575
Sano Y., Harada N. & Takatsu K. Three functionally distinct helper T-cell clones: the roles for antigen non-specific helper factors in B-cell activation through two different pathways, 585
Saunders J. *see* Pavia C.S.
Sayers G. *see* Wozencraft A.O.
Schattner A. *see* Morgan A.
Schick B. & Austen K.F. Pharmacological modulation of activation-secretion of rat serosal mast cells by chymase, an endogenous secretory granule protease, 513
Schurch S. *see* Paterson N.A.M.
Secombes C.J., Lewis A.E., Laird L.M., Needham E.A. & Priede I.G. Role of autoantibodies in the autoimmune response to testis in rainbow trout (*Salmo gairdneri*), 409
Sedgwick J.D. & Holt P.G. Down-regulation of immune responses to inhaled antigen: studies on the mechanism of induced suppression, 635
Sekizawa A. *see* Fujii T.
Serebrinsky G. & Isturiz M.A. Reversal of antibody-dependent cellular cytotoxicity suppression by cycloheximide, 245
Seto A. & Hasegawa T. Autoanti-allotype antibodies and idiotypic network regulating allotype production in rabbits, 625
Sheldrake R.F., Husband A.J., Watson D.L. & Cripps A.W. The effect of intraperitoneal and intramammary immunization of sheep on the numbers of antibody-containing cells in the mammary gland, and antibody titres in blood serum and mammary secretions, 605
Shiozawa K., Shiozawa S., Shimizu S. & Fujita T. 1α, 25-dihydroxyvitamin D_3 inhibits pokeweed mitogen-stimulated human B-cell activation: an analysis using serum-free culture conditions, 161
Shiozawa S. *see* Shiozawa K.
Shimizu S. *see* Shiozawa K.
Smith D.J. *se* Ebersole J.L.
Smith L., Adams R.A. & Burston C. Significance of 801 monoclonal proteins detected during 7 years of screening in a Distict General Hospital, 549
Smith M.A. & Kerr M.A. Cleavage of the second component of complement by plasma proteases: implications in hereditary Cl-inhibitor deficiency, 561
Someya A. Specific surface antigens expressed on activated mouse peritoneal macrophages and recognized by a novel monoclonal antibody, 683
Staines N.A. *see* Morgan A.
Strath M. *see* Sanderson C.J.
Strobel S., Mowat A.McI. & Ferguson A. Prevention of oral tolerance induction to ovalbumin and enhanced antigen presentation during a graft-versus-host reaction in mice, 57
Sundqvist K.-G. *see* Wanger L.

Takáč M. *see* Holáň V.
Takashima T. *see* Negoro S.
Takatsu K. *see* Sano Y.
Targett G.A.T. *see* Harte P.G.
Taubman M.A. *see* Ebersole J.L.

TOBA H. *see* NEGORO S.
TOUJAS L. *see* COLLET B.
TSUYUKI S. *see* YAMAZAKI S.

UEDA K. *see* YAMAZAKI S.

VANČATOVÁ A. *see* HOLÁŇ V.
VESELSKÝ L. *see* HOLÁŇ V.
VĚTVIČKA V., FORNŮSEK L. & ZÍDKOVÁ J. The expression of Fc and complement receptors in young, adult and aged mice, 73
VISMARA D. *see* LOMBARDI G.
VOSE B.M. *see* CAMPBELL D.

WAKELIN D., DONACHIE A.M. & GRENCIS R.K. Genetic control of immunity to *Trichinella spiralis* in mice: capacity of cells from slow responder mice to transfer immunity in syngeneic and F_1 hybrid recipients, 203
WAKELIN D. *see* GRENCIS R.K.
WALKER L. *see* GORDON J.
WANGER L., OTTESKOG P. & SUNDQVIST K.-G. Anchorage and lymphocyte function. Acquisition of spontaneous motile behaviour by human blood lymphocytes and its modulation by concanavalin A, 425
WARD R.H.R. & LACHMANN P.J. Monoclonal antibodies which react with lymphocyte-lysed target cells and which cross-react with complement-lysed ghosts, 179
WARREN D.J. *see* SANDERSON C.J.
WATANABE Y. *see* KAWADE Y.
WATKINS J.R., LOKEN M.R. & KNIGHT K.L. Two B-cell subpopulations identified by flow cytometry, 315
WATSON D.L. *see* SHELDRAKE R.F.
WATSON R.R. *see* MORIGUCHI S.
WERBER M.M., GOLDMAN J., RADNAY J., KLEIN S. & ROZENSZAJN L.A. Identification and purification of human T-lymphocyte colony-enhancing factor, TLCEF: increased production by phorbol myristate acetate, 285
WERNER L. *see* MORIGUCHI S.
WITKOWSKI J. & MICKLEM H.S. Decreased membrane potential of T lymphocytes in ageing mice: flow cytometric studies with a carbocyanine dye, 307
WOZENCRAFT A.O., CROFT S.L. & SAYERS G. Oxygen radical release by adherent cell populations during the initial stages of a lethal rodent malarial infection, 523
WYLLIE A.H. *see* DUVALL E.

YAMASHITA J. *see* KEYAKI A.
YAMAZAKI S., MACHII K., TSUYUKI S., MOMOSE H., KAWASHIMA T. & UEDA K. Immunological responses to mono-associated *Bifidobacterium longum* and their relation to prevention of bacterial invasion, 43
YOSHIDA T. *see* BIXLER G.S.
YOUINOU P. *see* HUREZ D.

ZANEN H.C. *see* VAN BOHEMEN C.G.
ZEMBALA M. *see* LOMBARDI G.
ZÍDKOVÁ J. *see* VĚTVIČKA V.

Subject Index

Activated macrophages:
specific surface antigens recognized by a monoclonal antibody, 683
ADCC:
reversal of suppression of, by cycloheximide, 245
Adjuvant action:
of mannan-containing LPS, 571
Adjuvant arthritis, in rats:
effect of treatment with monoclonal anti-pan T and anti-OX8 antibodies, 383
Ageing rats:
secretory immune responses, 345
Allo-CTL generation:
functional phenotype of stimulating spleen cells, 459
Alloreactive T-cell clones:
co-ordinate analysis of lymphokine production, 575
Alternative pathway:
lysis enhanced by non-covalently bound C3, 735
Anchorage and lymphocyte function, 425
Antibody-containing cells:
in mammary gland, 605
Antibody-forming clones:
proliferation and maturation events, 597
Antibody-mediated protection against *Treponema pallidum*, 195
Antibody response:
augmentation by hybrid cells, 615
Antigen presentation:
enhanced during GVH reaction, 57
of lysozyme, 103
Anti-Thy-1 antibody responses, 505
Anti-tumour responses:
effector mechanisms, 127, 141
Apoptotic cells:
recognition by macrophages, 351
Arthropathies:
post-dysenteric and HLA-B27, 377
Atopic eczema:
decreased NK cell activity, 337
Autoanti-allotype antibodies:
regulating allotype production, 625
Autoantibodies:
anti-DNA, shared idiotypes, 393
natural, in hyperimmunized mice, 401
to testis in rainbow trout, 409
Autocrine models:
of B-lymphocyte growth, 329
Autoimmune haemolytic anaemia:
induction by preimmunization with rat erythrocytes and chronic GVH, 643

B cells:
activation and proliferation signals, 321
B-cell activators:
calcium ionophores, non-mitogenic, 321
B-cell subpopulations:
identified by flow cytometry, 315
BCG:
effect on *in vitro* generation of cytotoxic T cells, 235
Bifidobacterium longum:
immunological responses to, 43
B-lymphocyte growth:
autocrine models, 329

C2 cleavage:
in hereditary angioedema, 561
C3, non-covalent:
enhancement of lysis through alternative pathway, 735
C4, frog:
isolation and characterization, 743
Calcium ionophores:
non-mitogenic B-cell activators, 321
Calmodulin:
antibodies to, during *T. brucei rhodesiense* infection, 227
Chymase:
pharmacological modulation of mast cell activation/secretion, 513
Clones, antibody-forming:
proliferation and maturation events, 597
Complement receptors:
expression in young, adult and aged mice, 73
Cycloheximide:
reversal of ADCC suppression, 245
Cyclosporine and inositol phospholipid degradation, 435
Cytotoxic T lymphocytes:
effect of BCG on *in vitro* generation, 235
in mengo virus infection of mice, 701
Cytotoxic T-lymphocyte killing:
augmentation by IFN treatment of targets, 451

Dietary vitamin A:
effect of cellular immune function, 169
1α,25-Dihydroxyvitamin D_3:
inhibition of human B-cell activation, 161

Eosinophil adherence:
to *Trichinella spiralis*-infective larvae, 219
Erythrocyte autoantibodies:
suppression dependent on Lyt 1 cells, 269

Fatty acids and lymphocyte proliferation, 659
Fc receptors:
expression in young, adult and aged mice, 73
Fc_γ receptors:
inhibition of expression by glucocorticoids, 359

Flow cytometry:
identification of two B-cell subpopulations, 315
Functional phenotype of stimulator cells in allo-CTL generation, 459

Gammopathy:
monoclonal, in western France, 557
Genetic control:
of immunity to *Trichinella spiralis* in mice, 203
Glucocorticoids:
inhibition of expression of Fc_γ receptors, 359
GVH reaction in mice:
prevention of oral tolerance and enhanced antigen presentation, 57

Hereditary angioedema:
cleavage of C2 in, 561
HLA-B27 and susceptibility to post-dysenteric arthropathies, 377
Human B-cell activation:
inhibited by 1α,25-dihydroxyvitamin D_3, 161
Human fibroblast surface antigen expression:
in bone marrow, skin and embryo lung tissue derived cells, 189
Hybrid cells:
leukaemia × fibroblast, augmentation of antibody response, 615

Idiotypic network:
regulating allotype production, 625
IgA antigen-specific memory cells:
following intra-intestinal priming, 417
IgA production:
T-cell control, 81
IgE-induced systemic anaphylaxis:
effect of specific IgG, 65
IgG:
effect on IgE-induced anaphylaxis, 65
IgG subclasses, rat:
in vitro binding to enterocytes, 51
in vivo transmission, 51
IL-1 secretion:
effect of interferon, 441
IL-2:
in vivo activity, 653
IL-2 independent CTL line, 127
IL-2 inhibitor:
increase during infection, 113
molecular characteristics, 119
Immunostimulation:
by high dietary vitamin A, 169
Inhaled antigen:
induction of tolerance to, 635
Interferon:
effect on chemiluminescence and hydroxyl radial production by PMA-stimulated macrophages, 533
effect on human IL-1 secretion, 441
treatment of targets, augments CTL killing, 451
Interferon-γ and monocyte cytotoxin in cytostasis, 367
Intra-intestinal priming and antigen-specific IgA memory cells, 417
In vitro lymphocyte reactivity:
suppression and enhancement by submandibular gland extracts, 261

L3T4 T lymphoblasts and immunity to *Trichinella spiralis*, 213
Leukotriene D_4:
metabolism by macrophages enhanced by zymosan, 153
Lipopolysaccharide mitogenicity
inhibition by monoclonal anti-lipid A antibodies, 481
Listeria monocytogenes:
T-cell co-operation in immunity to, 33
Listeriosis:
resistance in genetically selected mice, 707
Lumbricus terrestris:
synthesis of specific substances against a synthetic hapten, 751
Lymphoblasts:
characteristics, in efferent lymph in response to vaccinia virus, 23
Lymphocytes:
function and anchorage, 425
function in experimental syphilis, 9
Lymphocyte proliferation:
inhibition by free fatty acids, 659
Lymphocyte surface markers:
leaving pig lymph nodes, 301
Lymphokine production:
co-ordinate analysis, 575

Macrophages:
modulation of mesangial cell proliferation, 695
recognition of apoptotic cells, 351
Macrophage surface antigens:
modulation by monoclonal antibodies, 543
Major histocompatibility complex:
sheep, Class I molecules, 717
sheep, Class II molecules, 725
Malaria:
rodent, oxygen radical release by adherent cells, 523
role of T cells in preventing transmission, 1
Mammary gland:
effect of intraperitoneal and intramammary immunization on antibody-containing cells, 605
Marginal zone macrophages:
role in migration of lymphocytes into PALS, 689
Mast cells:
modulation of activation/secretion by chymase, 417
thrombin and calcium uptake, 667
Membrane potential:
of T lymphocytes in ageing mice, 307
Mesangial cell proliferation:
modulation by macrophage products, 695
Monoclonal antibodies:
identification of mononuclear phagocytes of normal and rheumatoid synovial membrane, 673
modulation of expression of macrophage surface antigens, 543
reacting with targets lysed by both ADCC and complement, 179
recognizing specific surface antigens on activated macrophages, 683
to lipid A, 481

Monoclonal gammopathy in western France, 557
Monoclonal proteins:
  human, detected during 7 years screening, 549
Monocyte cytotoxic factor and cytostasis, 367
Monocyte subsets:
  in production of inhibitory factor by human T cells, 373
Mononuclear phagocytes:
  of normal and rheumatoid synovial membrane, 673
Murine AMLR:
  T-suppressor clones, 93

Natural autoantibodies:
  in hyperimmunized mice, 401
Natural killer cell activity:
  in atopic eczema, 337
  in mengo virus infection of mice, 701
Neutralization of effector protein activity by monoclonal antibody:
  antibody dose-dependence for an equilibrium system, 497
  neutralization characteristics of anti-interferon antibodies, 489

Oral tolerance:
  role of antigen recognition and suppressor cells, 253
  to ovalbumin, prevention during GVH reaction, 57
Oxygen radical release by adherent cells in rodent malaria, 523

Phorbol myristate acetate:
  effect on production of T-lymphocyte colony-enhancing factor, 285

Reactive arthritis and HLA-B27, 377

Secretory immune responses:
  immunoglobulin levels in ageing rats, 345
Shared idiotypes on mouse and human anti-DNA autoantibodies, 393
Sheep lymphocyte antigens (OLA), 717, 725
Suppression:
  of induced erythrocyte autoantibodies, 269
Suppressor factor:
  antigen non-specific, produced by T-cell line, 275
Surface markers:
  on lymphocytes leaving pig lymph nodes, 301
Syngeneic tumour rejection, 141
Syphilis, experimental:
  lymphocyte function, 9

T3:
  relationship with T-cell receptor, 295
T cells:
  autoreactive, in regulation of immune responses, 467
  role in preventing transmission of malaria, 1
T-cell antigen receptor:
  relationship with T3, 295
T-cell control of IgA production, 81
T-cell line:
  producing antigen non-specific suppressor factor, 275
T-cell recognition:
  of peptides and intact protein, 103
Testis:
  autoantibodies, in rainbow trout, 409
T-helper cell clones:
  roles for antigen non-specific factors in B-cell activation, 585
Thy-1 antigen:
  induction of anti-Thy-1 antibody, 505
  in transfected mastocytoma and fibroblast, 505
T-independent B-cell responses:
  role of cell contact and soluble factors, 329
T lymphocytes:
  decreased membrane potential in ageing mice, 307
T-lymphocyte colony-enhancing factor:
  increased production by PMA, 285
Tolerance induction:
  to inhaled antigen, 635
Treponema pallidum:
  antibody-mediated protection of guinea-pigs, 195
Trichinella spiralis:
  genetic control of immunity in mice, 203
  infective larvae, eosinophil adherence to, 219
  L3T4 T lymphoblasts and immunity to, 213
Trypanosoma brucei rhodesiense:
  antibodies to calmodulin, 227
T-suppressor clones:
  derived from murine AMLR, 93

Vaccinia virus:
  characteristics of lymphoblasts in efferent lymph in response to immunization, 23

Zymosan:
  enhanced metabolism of leukotriene D_4 by, 153